

SINCE 1978



Product Datasheet

LEADING LIGHT

vkleadinglight.gr

Woody

VK/04580/CE/DW/W/27


Ceiling Light Led. 3000K. 21W. 2190lm. CRI>90 ø27x7cm. IP20, Dark wood




IP20



Dimensions



Gallery



Plafó & Ceiling Lights Led

Woody



PARAMETRO	VALORE	UNITA'
DESCRIZIONE	Plafó a LED con tecnologia TRIAC, dimmerabile, 3000K, 21W, 2190lm, CRI>90, ø27x7cm, IP20, Dark wood	
RENDERING	>90	
TEMPERATURA	3000K	
POTENZA	21W	
LUMEN	2190lm	
COLORE	Dark wood	
TECNOLOGIA	TRIAC	
PROTEZIONE	IP20	
PROTEZIONE	IP20	

Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	21W
Voltage	220-240V
Fitting	Ceiling Led
Type	Light
Safety class	
IP Rating	IP20
CRI	CRI>90
Dimmable	 TRIAC
Lifetime	25.000hrs
Working temperature	< 50°C
PAGE	220 Decorative 2024
NICKNAME	Woody

Physical Specifications	
Color	Dark wood
Material	Darkwalnutwood, metal, fabric cord, acrylic diffuser
Length	ø27cm
Height	7cm
Net weight of product (kg)	1
Gross weight with master box (kg)	1.5
Width (inner box)	33cm
Length (inner box)	33cm
Height (inner box)	16cm

Illumination Data	
Lumen	2190lm
Beam angle	120°
Lighting direction	

Packing Info

Pcs/carton	1pc
------------	-----

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label

The image shows an energy label for a VK Leading Light. At the top left is the EU Energy Label logo. Below it, the text reads "VK LEADING LIGHT" and "VK/04580/CE/DW/W/27". A vertical scale of energy efficiency classes from A to G is shown, with class F highlighted in black and a black arrow pointing to it from the right. Below the scale, the energy consumption is listed as "21 kWh/1000h". To the right of this is a QR code and the date "2019/2015".