

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Cob

## VK/24/COB/927/512



Ledstrips Cob, 24V, 14W/m, 1.431lm/m, 2700K, 5m/roll, CRI>90, IP20


IP20



### Dimensions

### Gallery


### Downloads



Ledstrips Cob CRI>90, 2700K, 14W/m


Model	Voltage	Power	Length	Beam Angle	Color	Temp	CR	IP
VK/24/COB/927/512	24V	14W/m	5m	30°	White	2700K	>90	IP20
VK/24/COB/927/512	24V	14W/m	5m	30°	White	2700K	>90	IP64

prod. desc. @ [VK Leading Light](#)



VK Leading Light

Since 1978

Technical Specifications	
Kelvin	2700K
Power	14W/m
Voltage	24V
Extra	Cob
Fitting	Ledstrips, Cob
Type	Light
Light source	COB
Number of LED	512pcs/m
IP Rating	<b>IP20</b>
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Meters	5m/roll
Working temperature	-10°C - 40°C
Storage temperature	-20°C - 60°C
PAGE	57 Technical 2024
NICKNAME	Cob

Physical Specifications	
Width	10mm
Length	5m
Height	1.4mm
Net weight of product (kg)	0.09
Gross weight with inner box (kg)	0.1715
Gross weight with master box (kg)	3.80
Cut out	every 100mm

Illumination Data	
Lumen	1.431lm/m

Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	5 years
-----------	---------

Energy Label

**ENERGY**

VK LEADING LIGHT  
VK/24/COB/927/512

A  
B  
C  
D  
E  
**F**  
G

71  
kWh/1000h

2019/2015