

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Cob

VK/24/COB/930/512



Ledstrips Cob, 24V, 14W/m, 1.454lm/m, 3000K, 5m/roll, CRI>90, IP20


IP20



Dimensions

Gallery


Downloads



Ledstrips Cob CRI>90 3000K


Model	Voltage	Power	Length	Width	Height	Weight
VK/24/COB/930/512	24V	14W/m	5m	10mm	1.25mm	0.15kg

pdf. desc. download



VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	14W/m
Voltage	24V
Extra	Cob
Fitting	Ledstrips, Cob
Type	Light
Light source	COB
Number of LED	512pcs/m
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Meters	5m/roll
Working temperature	-10°C - 40°C
Storage temperature	-20°C - 60°C
PAGE	57 Technical 2024
NICKNAME	Cob

Physical Specifications	
Width	10mm
Length	5m
Height	1.4mm
Net weight of product (kg)	0.09
Gross weight with inner box (kg)	0.1715
Gross weight with master box (kg)	3.80
Cut out	every 100mm

Illumination Data	
Lumen	1.454lm/m

Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	5 years
-----------	---------

Energy Label

The image shows a standard European Energy Label for a light fixture. At the top left is the EU flag and the word "ENERGY" with a lightning bolt icon. Below this, the text "VK LEADING LIGHT" and "VK/24/COB/930/512" is printed. The central part of the label features a vertical scale of seven energy efficiency classes, A through G, each represented by a colored arrow pointing to the right. Class A is dark green, B is medium green, C is light green, D is yellow, E is orange, F is dark orange, and G is red. A black arrow points to the right from the 'F' class, indicating the product's energy efficiency. At the bottom left, the energy consumption is listed as "71 kWh/1000h". To the right of this is a QR code and the date "2019/2015".