

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Natu

VK/02214/WD/W/30


NATU Outdoor Floor Led light, 220-240V, Wooden+Anthracite. 3000K.
7W. 156lm. 48°, CRI>80. IP65, L30cm



IP65



Dimensions



Gallery





Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	7W
Voltage	AC220-240V
Fitting	Outdoor Floor LED
Type	Light
Safety class	
Light source	SMD
IP Rating	IP65
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
PAGE	676 Technical 2024
NICKNAME	Natu

Physical Specifications	
Color	Wooden+Anthracite
Material	Die-cast aluminium, with SPC wood board.
Width	15.7cm
Length	15.7cm
Height	30cm
Net weight of product (kg)	3.34
Gross weight with inner box (kg)	3.75
Gross weight with master box (kg)	15.80

Illumination Data	
Lumen	156lm
Beam angle	48°
Lighting direction	

Packing Info	
Pcs/carton	4pcs

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label

The image shows an energy label for a VK Leading Light. At the top left is the European Union flag and the word "ENERGY" with a lightning bolt icon. Below this, the text "VK LEADING LIGHT" and "VK/02214/WD/W/30" is displayed. A vertical scale of energy efficiency classes is shown, with arrows pointing to the right for classes A through F, and a black arrow pointing to the left for class G. Below the scale, the energy consumption is listed as "7 kWh/1000h". To the right of this text is a QR code and the date "2019/2015".