

SINCE 1978



LEADING LIGHT

# Product Datasheet

vkleadinglight.gr

Aelia

## VK/04708/PE/D/B/W




Black. 3000K. 30W. 1650lm. AC220-240V. 120°. LED SMD2835. Driver Eaglerise. Ceiling/pendant. -20°C → 60°C. 50.000hrs. Dimmable Yes, Triac. CRI>80. Metal + acrylic. IP20

IP20



### Dimensions



### Gallery





### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	30W
Voltage	AC220-240V
Fitting	Pendant
Type	Light
Safety class	
Light source	SMD 2835
IP Rating	<b>IP20</b>
CRI	CRI>80
Dimmable	 TRIAC
Lifetime	50.000hrs
Clicks	20,000
Driver	Eaglerise
Cable Length	102cm
Working temperature	-20°C-60°C
PAGE	174 New Products 2026
NICKNAME	Aelia

Physical Specifications	
Family	Aelia
Color	Black
Material	Metal + acrylic
Width	ø46cm
Length	ø46cm
Height	120cm
Net weight of product (kg)	2.30kg
Gross weight with inner box (kg)	3.50kg
Width (inner box)	52cm
Length (inner box)	52cm
Height (inner box)	22cm

Illumination Data	
Lumen	1650lm
Beam angle	120°
Lighting direction	

Packing Info	
Pcs/carton	1pc

Certification & Warranty	
Guarantee	2 years