

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Enya




VK/04709/CE/D/RB/W

Brown. 3000K. 40W. 2720lm. AC220-240V. 120°. LED SMD2835. Driver Eaglerise. Ceiling. -20°C → 60°C. 50.000hrs. Dimmable Yes, triac. CRI>80. Aluminum + acrylic. IP20





IP20




Dimensions	Gallery	Downloads
		

VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	40W
Voltage	AC220-240V
Fitting	Ceiling
Type	Light
Safety class	
Light source	SMD 2835
IP Rating	IP20
CRI	CRI>80
Dimmable	 TRIAC
Lifetime	50.000hrs
Clicks	20,000
Driver	Eaglerise
Working temperature	-20°C-60°C
PAGE	182 New Products 2026
NICKNAME	Enya

Physical Specifications	
Family	Enya
Color	Brown
Material	Aluminum + acrylic
Width	ø50cm
Length	ø50cm
Height	10cm
Net weight of product (kg)	2.30kg
Gross weight with inner box (kg)	3.20kg
Width (inner box)	55cm
Length (inner box)	55cm
Height (inner box)	15cm

Illumination Data	
Lumen	2720lm
Beam angle	120°
Lighting direction	

Packing Info	
Pcs/carton	1pc

Certification & Warranty	
Guarantee	2 years