

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Novel

VK/04704/DW-B/W

Black+Wood. 3000K. 6W. 228lm. LED OSRAM. Driver Eaglerise. AC220-240V. 87°. Wall/Reading light. ≤35°C. Working life 3 years. Dimmable No. With on/off switch. CRI>80. Aluminum. IP20





IP20




Dimensions	Gallery	Downloads


VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	6W
Voltage	AC220-240V
Extra	With ON/OFF switch
Fitting	Wall/Reading
Type	Light
Safety class	
Light source	OSRAM
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	3 years
Clicks	5,000
Driver	Eaglerise
Working temperature	<35°C
PAGE	214 New Products 2026
NICKNAME	Novel

Physical Specifications	
Adjustable	
Family	Novel
Color	Black + wood
Material	Aluminum
Width	6cm
Length	15cm
Height	ø8.4cm + 3cm
Net weight of product (kg)	0.47kg
Gross weight with inner box (kg)	0.52kg
Width (inner box)	13.5cm
Length (inner box)	16.5cm
Height (inner box)	9cm

Illumination Data

Lumen	228lm
Beam angle	87°
Lighting direction	

Packing Info

Pcs/carton	20pcs
------------	-------

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label



VK LEADING LIGHT
VK/04704/DW-B/W

A	▶
B	▶
C	▶
D	▶
E	▶
F	▶
G	▶

6
kWh/1000h



2019/2015

