

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr

Novel

VK/04705/DW-B/W


Black+Wood. 3000K. 3W. 230lm. LED CREE. Driver Eaglerise. AC220-240V. 30°. Wall/Reading light. ≤35°C. Working life 3 years. Dimmable No. With on/off switch. CRI>80. Aluminum. IP20




IP20



Dimensions



Gallery






Downloads



VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	3W
Voltage	AC220-240V
Extra	With ON/OFF switch
Fitting	Wall/Reading
Type	Light
Safety class	
Light source	Cree
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	3 years
Clicks	5,000
Driver	Eaglerise
Working temperature	<35°C
PAGE	216 New Products 2026
NICKNAME	Novel

Physical Specifications	
Adjustable	
Family	Novel
Color	Black + wood
Material	Aluminum
Width	6cm
Length	15cm
Height	ø2.7 + 3cm
Net weight of product (kg)	0.35kg
Gross weight with inner box (kg)	0.4kg
Width (inner box)	10cm
Length (inner box)	17cm
Height (inner box)	6cm

Illumination Data

Lumen	230lm
Beam angle	30°
Lighting direction	

Packing Info

Pcs/carton	50pcs
------------	-------

Certification & Warranty

Guarantee	2 years
-----------	---------

Energy Label



ENERGY

VK LEADING LIGHT
VK/04705/DW-B/W

A
B
C
D
E
F
G

3
kWh/1000h

2019/2015