

SINCE 1978



LEADING LIGHT

Product Datasheet

vkleadinglight.gr


Sui

VK/02293/RB/WW

Rust Brown. 2700K. 3W. 144lm. AC85-265V. DC 2-4V 600mA. LED
Bridgelux. 50.000hrs. 36°. Dimmable No. -20°C→ 45°C. Outdoor ground.
CRI>90. Aluminum (included spike). IP65



IP65     

Dimensions	Gallery	Downloads
	 	  

Technical Specifications	
Kelvin	2700K
Power	3W
Voltage	AC85-265V
Extra	DC2-4V 600mA
Fitting	Outdoor ground
Type	Light
Safety class	
Light source	Bridgelux
IP Rating	IP65
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Working temperature	-20°C-45°C
PAGE	366 New Products 2026
NICKNAME	Sui

Physical Specifications	
Adjustable	
Rotation	270°
Family	Sui
Color	Rust brown
Material	Aluminum (included spike)
Width	ø3cm
Length	ø3cm
Height	7.4+7.2cm (+16cm of spike)

Illumination Data	
Lumen	144lm
Beam angle	36°
Lighting direction	

Packing Info	
Pcs/carton	30pcs

Certification & Warranty	
Guarantee	3 years

Energy Label



VK LEADING LIGHT
VK/02293/RB/WW

A

B

C

D

E

F

G

2

kWh/1000h



2019/2015

F