

SINCE 1978



# Product Datasheet

LEADING LIGHT

vkleadinglight.gr

Olo

## VK/04231/B/W/40/L


Wall light led, 220-240V, 3W & 2x6W, 3000K, 754lm, 25°, CRI>80, IP20, 40cm, black left



IP20



### Dimensions



### Gallery



Leading Light Led

Olo





LED	RIGHT
<p><b>TECHNICAL SPECIFICATIONS</b></p> <p>Model: OLO</p> <p>Power: 3W &amp; 2x6W</p> <p>Voltage: 220-240V</p> <p>Color Temperature: 3000K</p> <p>Beam Angle: 25°</p> <p>Light Output: 754lm</p> <p>Material: Aluminum</p> <p>Finish: Black</p> <p>Dimensions: 40x5x4cm</p> <p>Weight: 0.5kg</p> <p>IP Rating: IP20</p>	

### Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	3W & 2x6W
Voltage	220-240V
Fitting	Reading Led
Type	Light
Safety class	
Light source	SMD Samsung 3535/Edison 2835
IP Rating	<b>IP20</b>
CRI	CRI>80
Dimmable	
Lifetime	30.000hrs
Working temperature	-20-45°C
PAGE	280 Decorative 2024
NICKNAME	Olo

Physical Specifications	
Color	Black
Material	Aluminium, iron, acrylic
Width	4cm
Length	40cm (adjustable body 16xø3cm)
Height	5cm
Net weight of product (kg)	0.9
Gross weight with inner box (kg)	0.98
Gross weight with master box (kg)	20.6
Width (inner box)	6cm
Length (inner box)	9cm
Height (inner box)	41.5cm

## Illumination Data

Lumen	754lm
Beam angle	25°
Lighting direction	


## Packing Info

Pcs/carton	20pcs
------------	-------

## Certification &amp; Warranty

Guarantee	2 years
-----------	---------

## Energy Label



**ENERGY**

VK LEADING LIGHT  
VK/04231/B/W/40/L

A  
B  
C  
D  
E  
F  
G

**11**  
kWh/1000h

2019/2015