


Technical Specifications	
Kelvin	2700K
Power	6W/m
Voltage	24V
Fitting	Ledstrips
Type	Light
Light source	SMD 2216 EPISTAR
Number of LED	60pcs/m
IP Rating	IP20
CRI	CRI>90
Dimmable	
Lifetime	50.000hrs
Meters	5m/roll
Working temperature	-10°C - 40°C
Storage temperature	-20°C - 60°C
PAGE	60 Technical 2024
NICKNAME	CRI90

Physical Specifications	
Width	10mm
Length	5m
Net weight of product (kg)	0.1095
Gross weight with inner box (kg)	0.1895
Gross weight with master box (kg)	4.25
Cut out	every 100mm

Illumination Data	
Lumen	704lm/m

Packing Info	
Pcs/carton	20pcs

Certification & Warranty

Guarantee	5 years
-----------	---------

Energy Label

The image shows an energy label for a VK Leading Light. At the top left is the European Union flag and the word "ENERGY" with a lightning bolt icon. Below this, the text "VK LEADING LIGHT" and the model number "VK/24/2216/927/60" are displayed. A vertical scale of energy efficiency classes from A to G is shown, with A being green and G being red. The class F is highlighted with a black arrow pointing to it. At the bottom left, the energy consumption is listed as "30 kWh/1000h". To the right of this is a QR code and the date "2019/2015".