

SINCE 1978



Product Datasheet

LEADING LIGHT

vkleadinglight.gr

Pia

VK/04413PE/B/W/25


Pendant light LED, 220V, 8W, 3000K, 900lm, CRI>80, IP20, ø25cm, black



IP20



Dimensions



Gallery



Pendant Lights Led


Pia



DESCRIPTION



Model	Color	Material	Height	Weight
VK/04413PE/B/W/25	Black	Aluminum	180 cm	0.8 kg
VK/04413PE/B/W/25	White	Aluminum	180 cm	0.8 kg
VK/04413PE/B/W/25	Orange	Aluminum	180 cm	0.8 kg
VK/04413PE/B/W/25	Blue	Aluminum	180 cm	0.8 kg

Downloads




VK Leading Light

Since 1978

Technical Specifications	
Kelvin	3000K
Power	8W
Voltage	220V
Fitting	LED Pendant
Type	Light
Safety class	
Light source	Epistar
IP Rating	IP20
CRI	CRI>80
Dimmable	
Lifetime	50.000hrs
Cable Length	1.8m
Working temperature	-20-60°C
PAGE	102 Decorative 2024
NICKNAME	Pia

Physical Specifications	
Color	Matt Black
Material	Steel+rasin+acrylic
Width	ø25cm
Length	180cm
Net weight of product (kg)	0.90
Gross weight with inner box (kg)	1.3
Gross weight with master box (kg)	1.3
Width (inner box)	30cm
Length (inner box)	30cm
Height (inner box)	14cm

Illumination Data	
Lumen	900lm
Lighting direction	

Packing Info

Pcs/carton	1pc
------------	-----

Certification & Warranty

Guarantee	3 years
-----------	---------

Energy Label

The image shows an energy label for a VK Leading Light. At the top left is the EU Energy Label logo. Below it, the text reads "VK LEADING LIGHT" and "VK/04413PE/B/W/25". A vertical scale of energy efficiency classes from A to G is shown, with class F highlighted in black. Below the scale, the energy consumption is listed as "8 kWh/1000h". A QR code is present, with the date "2019/2015" written vertically to its right.